


WORKBENCHES & STANDS



WORKBENCHES

KITCHEN INSTALLATION CART

AKIC

Application

Safe and easy loading, transporting and installation of kitchen tops and other work pieces up to 500 kgs (1102 lbs). Vertical transport of the kitchen.

General

The Aardwolf Kitchen Installation Cart provides a safer means of stone transportation and installation. The frame features a series of transfer bearings allowing the countertop to roll into place without friction, & without strain, while increasing productivity & efficiency. The cart accommodates any size countertop up to 500 kgs (1102 lbs).

The cart can be used to lower, lift, and roll extremely large pieces onto kitchen cabinet, as well as assist with final countertop placement. The power lift feature elevates stone up to 13.8"- 40.7" from ground to support rail, and enables controlled tilting for easier, less hazardous installation. The cart features a strong aluminium frame, yet only weighs 180 kgs (397 lbs) for convenient transport and storage. The Aardwolf Kitchen Installation Cart is powered by a long-lasting rechargeable battery, controlled via wireless remote.

Features

- Flexible table surface with the fixed and adjustable surfaces for different material sizes.
- Equipped with transfer bearings located on the table surface allows the countertop to be roll into place without friction and without strain.
- The cart can be used to lower, lift, and roll extremely large work pieces as well as assist with final countertop placement.
- The product consists of 3 actuators for lowering, lifting and tilting work pieces.
- Wireless remote control.
- Engineered for optimum stability and maneuverability.
- Powered by 24V rechargeable lithium-ion battery.
- 10" non-marking, flat-free, shock absorbing tires.

Height of the frame	350 - 1035 mm	13.8 - 40.7 in
Working load limit	500 kg	1102 lb



WORKBENCHES

WORK TABLES

WT600 - WT910

Versatile dual-function fabrication table ideal when cutting, grinding or polishing an already cut to size piece. Serves as a work table in the horizontal position, and as a slab dolly in the vertical position. The tabletop is adjustable for different sloping positions. With four adjustable levelling posts for stability and removable center braces for convenience when working with sink hole cut-outs.

- Three removable center braces for convenience when working with sink hole cut-outs.
- Four levelling posts for added stability.
- Inflatable rubber tires with locking brakes protect floor surfaces and increase ease of motion.
- Tabletop lined with wood to minimize damage to workpieces.

WT600



WT910



Surface table sizes	1906 x 600 mm	75 x 23.6 in
Width with the top	679 mm	26.7 in
Table dimensions	2019x950x1010mm	80 x 37 x 40 in
Working load limit	500 kg	1102 lb

Surface table sizes	1906 x 915 mm	75" x 36"
Width with the top	950 mm	37.4 in
Table dimensions	2019x950x1010mm	80 x 37 x 40 in
Working load limit	500 kg	1102 lb

FABRICATION STAND

FS01

This handy stand is an accessory that combines well with the Aardwolf Modular Table, providing versatility when working with unusually large and unusually shaped kitchen and bar countertops.

- Heavy-duty, steel height-adjusting bolts
- Rubber-lined top rail prevents damage to stone surfaces
- Folds flat for easy storage

Adjustable height	915 - 1118 mm	36 - 44 in
Working load limit	650 kg	1433 lb
Net weight	13 kg	28.7 lb



WORKBENCHES

ADJUSTABLE HEIGHT WORK TABLES

AHWT600 - AHWT910

Versatile dual-function fabrication table ideal when cutting, grinding or polishing an already cut to size piece. Serves as a work table in the horizontal position, and as a slab dolly in the vertical position. The tabletop is adjustable for different sloping positions and height adjustable to suit the specific physical needs of the person in order to maintain optimum ergonomic positioning. With four adjustable levelling posts for stability and removable center braces for convenience when working with sink hole cut-outs.

- Three removable center braces for convenience when working with sink hole cut-outs
- Four levelling posts for added stability
- Solid rubber tires with locking brakes protect floor surfaces and increase ease of motion
- Tabletop lined with wood to minimize damage to workpieces



AHWT600



AHWT910

Surface table sizes	1906 x 600 mm	75 x 23.6 in
Table height adjustment range	950 mm	37.4 in
Working load limit	500 kg	1102 lb

Surface table sizes	1906 x 915 mm	75 x 36 in
Table height adjustment range	950 mm	37.4 in
Working load limit	500 kg	1102 lb

FLIP TROLLEY

FT02

The Flip Trolley is made of durable metal for flipping stone slabs from the polished sides to the saw sides during fabrication. The Flip Trolley is designed with four flexible support bars that can be adjusted to fold down horizontally to ease the loading of stone slabs.

The load bearing surfaces of these support bars are rubber topped so as to prevent the polished or finished products from scratching and damage.

The Flip Trolley also consists of four swivel wheels and this makes flipping or transporting of stones safer and more convenient.

Working load limit	500 kg	1102 lb
Net weight	52 kg	115 lb





WORKBENCHES

PREMIUM FABRICATION TABLE

Versatile fabrication table with connecting screws allowing the unit to be joined to other tables to create customised work configurations. The table fits through standard doorways for jobsite convenience. With four adjustable levelling posts for stability and removable centre braces for convenience when working with sink hole cut-outs.

- Two removable center braces for convenience when working with sink hole cut-outs
- Four adjustable leveling posts for added stability. Durable nylon wheels for easy transport
- Tabletop lined with replaceable tongue-in-groove rubber padding strips to minimize damage to workpieces
- Ships flat to save you money (some assembly required)
- Working load limit: 450 kg | 992 lb
- Net weight: 71.6 kg | 158 lb



WORKBENCHES

FABRICATION TABLE

FT01

The Modular Work Table may be used in any number of configurations for the perfect workstation.

Combine multiple units for large jobs or for one continuous workgroup.

The table has a solid construction with a rubber-lined surface. The table also features adjustable crossbars and all metal parts are powder coated. The unit includes a centre table and two extension tables.

- Rubber-lined sturdy work table
- Adjustable feet
- Collapsible for ease of transport



ECONOMY FABRICATION TABLE

AEFT

The table fits through standard doorways for job site convenience.

- Two locking wheels with locking brakes provide added stability, plus two fixed wheels.
- The tabletop is lined with rubber padding strips to minimize damage to workpieces
- Ships flat to save you money (some assembly required)



Main module	2130 x 725 mm	84 x 28 in
Extension table	915 x 725 mm	36 x 28 in
Working load limit	300 kg	661 lb

Table	1840 x 610 mm	72.4 x 24 in
Working load limit	200 kg	440 lb
Net weight	43 kg	95 lb



WORKBENCHES

TRESTLE

AT765N

The Aardwolf Trestle - 765N is portable but can also be dyno-bolted to the floor for a permanent position. It can also be used on job sites or for factory fabrication. The rubber covering the rails is U.V. ray, acid and mark resistant.

Adjustable width	100 mm	3.9 in
Working load limit	1000 kg	2204 lb



TRESTLE

AT855N - AT765W - AT855W

These Trestles are portable but can also be dyno-bolted to the floor for a permanent position. These can also be used on job sites or for factory fabrication. The rubber covering the rails is U.V. ray, acid and mark resistant. A heavy-duty, adjustable, powder-coated trestle to put all other trestles to shame.

Adjustable width	100 mm	3.9 in
Working load limit	1000 kg	2204 lb


AT855N



AT765W



AT855W



SCULPTURE TABLES

SCULPTURE TABLE-HYDRAULIC - FIVE LEGS

STH5L

In the hands of a fine sculptor, the right tool can mean the difference between true expression and the ordinary. The Aardwolf turn table is sound and solid while allowing the sculptor to work from every side with ease. The tabletop is supported by a hydraulic jack pedal and five lockable wheels hold the table in a secure position, which keeps it stable on uneven floors.

Working load limit	750 kg	1653 Lb
Net weight	79 kg	174 Lb



SCULPTURE TABLE-HYDRAULIC - FOUR LEGS

STH4L

In the hands of a fine sculptor, the right tool can mean the difference between true expression and the ordinary. The Aardwolf turn table is sound and solid while allowing the sculptor to work from every side with ease. The tabletop is supported by a hydraulic jack pedal and four lockable wheels hold the table in a secure position, which keeps it stable on uneven floors.

Working load limit	750 kg	1653 Lb
Net weight	78 kg	172 Lb



SCULPTURE TABLE

ST750

In the hands of a fine sculptor, the right tool can mean the difference between true expression and the ordinary. The Aardwolf turn table is sound and solid while allowing the sculptor to work from every side with equal ease. The turning top is set on a large height-adjustable column, which in turn is supported by a steel tripod type base, which keeps the table stable even on uneven floors.

Working load limit	750 kg	1653 Lb
Net weight	68 kg	150 Lb



SCULPTURE TABLE

ST1000

In the hands of a fine sculptor, the right tool can mean the difference between true expression and the ordinary. The Aardwolf sculptor's table is sound and solid while allowing the sculptor to work from every side with equal ease. The turning top is set on a large height-adjustable column, which in turn is supported by a steel tripod type base, which keeps the table stable even on uneven floors.

Working load limit	1000 kg	2204 Lb
Net weight	101 kg	223 Lb



EDGE POLISHING STANDS

POLISHING STAND AUTO LOCK (GALVANISED)

PSALG01



Double jaw clamping stands that are adjustable for height and length.

For polishing granite that is standing vertically on edge, as opposed to horizontal polishing. Granite standing vertically on edge is the most comfortable way for a polisher to hand polish granite edges. With this stand, the polisher is able to set workpieces at their optimum height thereby reducing strain on the polisher's lower back and shoulders, plus it allows the polisher to see what he or

she is doing without getting sprayed in the face with water and grime. With extra comfort, the polisher will produce higher quality edges at a much faster rate.

- Auto-lock rubber-lined jaws
- Quick and easy setup
- Holds large marble and granite sheets securely
- Supplied with a tool holding table mounted on a stand



Grip range	0 - 60 mm	0 - 2 in
Net weight	33 kg	72.8 Lb

FLOOR VICE

FV80

Used for vertically clamping marble and granite slabs, the Floor Vice FV80 is the perfect tool for the stoneworker. Ideal for polishing individual edges of marble and granite, which are held steady by the jaws. The FV80 consists of a powder-coated steel base clamp unit, a pair of rubber-lined jaws and a rubber-protected rest.



FLOOR VICE AUTO

FVASL60

This device allows for the secure holding of large marble and granite sheets. It is fast to set up and equally fast to put away when not needed. Supplied with a table-mounted on a stand for holding tools. Auto-lock, rubber-lined jaws.



Grip range	0 - 80 mm	0 - 3 in
Net weight	6.8 kg	15 lb

Grip range	0 - 60 mm	0 - 2 in
Net weight	6.94 kg	15.3 lb

EDGE POLISHING STANDS

VERTICAL POLISHING FRAMES

VPF700 - VPF1300 - VPF1800 - VPF2400

Edge polishing stand for polishing granite that is standing vertically on edge, as opposed to horizontal polishing. Provided with two rubber lined support rails, both of which are height adjustable. The upper support rail is used when polishing narrow width splash backs and skirting boards. The upper rail is removed when polishing wider width workpieces.

With this stand, the polisher is able to set workpieces at various heights thereby reducing strain on the polisher's lower back and shoulders, plus it allows the polisher to see what he or she is doing without getting sprayed in the face with water and grime. With extra comfort, the polisher will produce higher quality edges at a much faster rate.

- Quick and easy setup
- Powder-coated finish
- Two rubber-lined jaws locked by hand knobs
- Holds marble and granite workpieces securely
- **Grip range: 0 - 55 mm | 0 - 2 in**



VPF700



VPF1300



VPF2400



VPF1800

WORK STATIONS

OVERHEAD SWING ARMS

OSA3000 - OSA4400

This Overhead Swing Arm attaches to a wall or column where applications require air, power tools or light to be positioned above the operator.



OSA3000


Net weight	16.3 kg	36 lb
Gross weight	16.5 kg	36.4 lb



OSA4400

Net weight	32.5 kg	71.7 lb
Gross weight	32.7 kg	72 lb





FIND YOUR NEAREST AARDWOLF FACTORY SERVICE CENTRE NEAR YOU

WE ARE PROVIDING

SIMPLE, REALIABLE, COST SAVING
AND AWESOME IDEAS FOR YOUR BUSINESS



AUSTRALIA

1/5 Stanton Road, Seven Hills NSW 2147

Tell: 02 9838 8427

www.aardwolfaustralia.com Email: enquiries@aardwolfaustralia.com

BULGARIA Str.Usta Kolio Ficheto 33 Tell: +359 887 933 754

INDIA

Harama Road, Industrial area, Madanganj, Kishangarh, Rajasthan ñ India

Pin no. 305801

Mob: +91 73000-68444 Tell: +91 9358448474

Web: www.aardwolf.co.in

Email: sales@aardwolf.co.in

GERMANY

Schulze-Delitzsche Weg 2, 33175 Bad Lippspringe

Tell: 05252 8382830

USA

19201 South Reyes Avenue, Suite A3 Rancho Dominguez California,

Tell: (562) 553-6050

90221

Web: www.aardwolfusa.com

Email: leo@aardwolfusa.com

VIETNAM

1B, An Phu, Thuan An City, Binh Duong Province, Vietnam

Tell: +84 931 707 793

Web: www.aardwolf.com.au

Email: info@aardwolf.com.au

AARDWOLF PRODUCT VIDEO
www.youtube.com/user/AardwolfGroup

